

JÄMSÄ TIMO

---

**1. ARTICLES IN INTERNATIONAL REFEREED JOURNALS**

1. Hassinen I, Jämsä T (1982) A reflectance spectrophotometer - surface fluorometer suitable for monitoring changes in hemoprotein spectra and fluorescence of flavins and nicotinamide nucleotides in intact tissues. *Anal Biochem* 120: 365-372.
2. Levoska S, Keinänen-Kiukaanniemi S, Hämäläinen O, Jämsä T, Vanharanta H (1992) Reliability of a simple method for measuring isometric neck muscle force. *Clin Biomech* 7:33-37.
3. Peng Z, Tuukkanen J, Zhang H, Jämsä T, Väänänen HK (1994) The mechanical strength of bone in different rat models of experimental osteoporosis. *Bone* 15: 523-532.
4. Jämsä T (1996) Pressure controlled resistor. *Electron Des* 44 (4): 136.
5. Uimonen S, Sorri M, Laitakari K, Jämsä T (1996) A comparison of three vibrators in static posturography: the effect of vibration amplitude on body sway. *Med Eng Phys* 18: 405-409.
6. Jämsä T, Jalovaara P (1996) A cost-effective, accurate machine for testing the torsional strength of sheep long bones. *Med Eng Phys* 18: 433-435.
7. Gao TJ, Lindholm TS, Kommonen B, Ragni P, Paronzini A, Lindholm TC, Jämsä T, Jalovaara P (1996) Enhanced healing of segmental tibial defects in sheep by a composite substitute composed of tricalcium phosphate cylinder, bone morphogenetic protein and type IV collagen. *J Biomed Mater Res* 32: 505-512.
8. Jämsä T, Jalovaara P, Peng Z, Väänänen HK, Tuukkanen J (1998) Comparison of three-point bending test and peripheral quantitative computed tomography analysis in the evaluation of the strength of mouse femur and tibia. *Bone* 23: 155-161.
9. Jämsä T, Tuukkanen J, Jalovaara P (1998) Femoral neck strength of mouse in two loading configurations: method evaluation and fracture characteristics. *J Biomech* 31: 723-729.
10. Jämsä K, Jämsä T (1998) Technology in neonatal intensive care - a qualitative study of parents' experiences. *Technol Health Care* 6: 225-230.
11. Jämsä T, Koivukangas A, Ryhänen J, Jalovaara P, Tuukkanen J (1999) Femoral neck is a sensitive indicator of bone loss in immobilized hind limb of mouse. *J Bone Miner Res* 14: 1708-1713.
12. Rantakokko J, Uusitalo H, Jämsä T, Tuukkanen J, Aro H, Vuorio E (1999) Expression profiles of mRNAs for osteoblast and osteoclast proteins as indicators of bone loss in mouse immobilization model. *J Bone Miner Res* 14: 1934-1942.
13. Jämsä T, Koivukangas A, Kippo K, Hannuniemi R, Jalovaara P, Tuukkanen J (2000) Comparison of radiographic and pQCT analyses of the healing rat tibial fractures. *Calcif Tissue Int* 66: 288-291
14. Tuominen T, Jämsä T, Tuukkanen J, Lindholm TS, Jalovaara P (2000) Fresh tubular long bone autografts and allografts in the healing of canine ulnar defect fixed with intramedullary Kirschner wire. *J Musculoskeletal Res* 4: 55-62

15. Viluksela M, Jämsä T, Tuomisto JT, Tuomisto J, Tuukkanen J (2000) Effects of TCDD on bone quality in a TCDD-sensitive and a TCDD-resistant rat strain. *Organohalogen Compounds* 49: 132-134.
16. Tuukkanen J, Koivukangas A, Jämsä T, Sundquist K, MacKay CA, Marks SC Jr (2000) Mineral density and bone strength are dissociated in long bones of rat osteopetrotic mutations. *J Bone Miner Res* 15: 1905-1911
17. Tuominen T, Jämsä T, Tuukkanen J, Nieminen P, Lindholm TC, Lindholm TS, Jalovaara P (2000) Native bovine bone morphogenetic protein improves the potential of biocoral to heal segmental canine ulnar defects. *Int Orthop* 24: 289-294
18. Tuominen T, Jämsä T, Tuukkanen J, Marttinen A, Lindholm TS, Jalovaara P (2001) Bovine bone implant with bone morphogenetic protein in healing a dog ulnar defect. *Int Orthop* 25: 5-8
19. Uusitalo H, Rantakokko J, Ahonen M, Jämsä T, Tuukkanen J, Kähäri V-M, Vuorio E, Aro HT (2001) A metaphyseal defect model of the femur for studies of murine bone healing. *Bone* 28: 423-429
20. Tuominen T, Jämsä T, Oksanen J, Tuukkanen J, Lindholm TS, Jalovaara P (2001) Composite implant composed of hydroxyapatite and bone morphogenetic protein in the healing of a canine ulnar defect *Ann Chir Gyn* 90: 32-36
21. Partanen J, Jämsä T, Jalovaara P (2001) Influence of the upper femur and pelvic geometry on the risk and type of hip fractures. *J Bone Miner Res* 16: 1540-1546
22. Jämsä T, Viluksela M, Tuomisto JT, Tuomisto J, Tuukkanen J (2001) Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on bone in two rat strains with different aryl hydrocarbon receptor (AHR) structure. *J Bone Miner Res* 16: 1812-1819
23. Koivukangas A, Tuukkanen J, Kippo K, Jämsä T, Hannuniemi R, Jalovaara P (2001) Long-term effects of clodronate in rats. *Calcif Tissue Int* 69: 350-355
24. Mattila P, Svanberg M, Jämsä T, Knuutila M (2002) Improved bone biomechanical properties in xylytol-fed aged rats. *Metabolism* 51: 92-96
25. Jämsä T, Rho JY, Fan Z, MacKay CA, Marks Jr SC, Tuukkanen J (2002) Material properties in long bones of rat osteopetrotic mutations. *J Biomech* 35: 161-165
26. Kujala S, Ryhänen J, Jämsä T, Danilov A, Saaranen J, Pramila A, Tuukkanen J (2002) Bone modeling controlled by a nickel-titanium shape memory metal alloy intramedullary nail. *Biomaterials* 23: 2535-2543
27. Koivukangas A, Tuukkanen J, Hannuniemi R, Jämsä T, Kippo K, Lehenkari P, Jalovaara P (2002) Ultrastructural properties of bone after long-term clodronate treatment in rat vertebra. *J Bone Miner Metab* 20: 223-227
28. Kapanen A, Danilov A, Lehenkari P, Ryhänen J, Jämsä T, Tuukkanen J (2002) Effect of metal alloy surface stresses on the viability of ROS-17/2.8 osteoblastic cells. *Biomaterials* 23: 3733-40
29. Partanen J, Heikkinen J, Jämsä T, Jalovaara P (2002) Characteristics of lifetime factors, bone metabolism, and bone mineral density in patients with hip fracture. *J Bone Miner Metab* 20: 367-375
30. Kujala S, Tuukkanen J, Jämsä T, Danilov A, Pramila A, Ryhänen J (2002) Comparison of the bone modeling effect caused by curved and straight nickel-titanium intramedullary nail. *J Mater Sci Mater Med* 13: 1157-1161

31. Koivukangas A, Tuukkanen J, Kippo K, Jämsä T, Hannuniemi R, Väänänen K, Snellman R, Jalovaara P (2003) Long-term administration of clodronate does not prevent fracture healing of long bones in rats. *Clin Orthop Rel Res* 408: 268-278
32. Tarkka T, Sipola A, Jämsä T, Soini Y, Ylä-Herttua S, Tuukkanen J, Hautala T (2003) Adenoviral VEGF-A gene transfer induces angiogenesis and promotes bone formation in healing osseous tissues. *J Gene Med* 5: 560-566
33. Miettinen HM, Pulkkinen P, Jämsä T, Tuomisto J, Tuukkanen J, Viluksela M (2003) In utero and lactational TCDD exposure affects rat bone development. *Organohalogen Compounds* 64: 274-277
34. Danilov A, Kapanen A, Kujala S, Saaranen J, Ryhänen J, Pramila A, Jämsä T, Tuukkanen J (2003) Biocompatibility of austenite and martensite phases in NiTi-based alloys. *J Phys IV* 112: 1117-1120
35. Vihriälä E, Saarimaa R, Myllylä R, Jämsä T (2003) A device for long term monitoring of impact loading on the hip. *Molecul Quantum Acoust* 24: 211-224
36. Danilov A, Tuukkanen T, Tuukkanen J, Jämsä T (2004) Effect of strain on NiTi surface-optical reflectivity *J Phys IV* 115: 287-298
37. Pulkkinen P, Partanen J, Jalovaara P, Jämsä T (2004) Combination of bone mineral density and upper femur geometry improves the prediction of hip fracture. *Osteoporos Int* 15: 274-280
38. Vainionpää A, Korpelainen R, Leppäluoto J, Jämsä T (2005) Effects of high-impact exercise on bone mineral density – a randomized controlled trial in premenopausal women. *Osteoporos Int* 16: 191-197
39. Pekkarinen T, Hietala O, Jämsä T, Jalovaara P (2005) Effect of gamma irradiation on the osteoinductivity of native reindeer bone morphogenetic protein extract. *Acta Orthop Scand* 76: 231-236
40. Pekkarinen T, Hietala O, Jämsä T, Jalovaara P (2005) Gamma irradiation and ethylene oxide in the sterilization of the native reindeer bone morphogenetic protein extract. *Scand J Surg* 94: 67-70
41. Miettinen HM, Pulkkinen P, Jämsä T, Koistinen J, Simanainen U, Tuomisto J, Tuukkanen J, Viluksela M (2005) Effects of in Utero and lactational TCDD exposure on bone development in differentially sensitive rat lines. *Toxicol Sci* 85: 1003-1012.
42. Nieminen J, Sahlman J, Hirvonen T, Jämsä T, Tuukkanen J, Kovanen V, Kröger H, Jurvelin J, Arita M, Li S-W, Prockop DJ, Hyttinen MM, Helminen HJ, Lapveteläinen T, Puustjärvi K (2005) Abnormal response to physical activity in femurs after heterozygous inactivation of one allele of the Col2a1 gene for type II collagen in mice. *Calcif Tissue Int* 77: 104-112
43. Muhonen V, Heikkinen R, Danilov A, Jämsä T, Ilvesaro J, Tuukkanen J (2005) The phase state of NiTi implant material affects osteoclastic attachment *J Biomed Mater Res* 75A: 681-688
44. Jämsä T, Vainionpää A, Vihriälä E, Korpelainen R, Leppäluoto J (2006) Effects of daily physical activity on proximal femur. *Clin Biomech* 21: 1-7 (Clinical Biomechanics Award)
45. Ryhänen J, Leminen A, Jämsä T, Tuukkanen J, Pramila A, Raatikainen T (2006) A novel treatment of grade III acromioclavicular joint dislocations with a C-hook implant. *Arch Orthop Trauma Surg* 126: 22-27

46. Vainionpää A, Korpelainen R, Vihriälä E, Rinta-Paavola A, Leppäluoto J, Jämsä T (2006) Intensity of exercise is associated with bone density change in premenopausal women. *Osteoporos Int* 17: 455-463
47. Pulkkinen P, Eckstein F, Lochmüller EM, Kuhn V, Jämsä T (2006) Association of geometric factors and fracture load with the occurrence of cervical vs. trochanteric hip fractures *J Bone Miner Res* 21: 895-901
48. Hannula SP, Söderberg O, Jämsä T, Lindroos VK (2006) Shape memory alloys for biomedical applications, *Adv Sci Technol* 49: 109-118
49. Pekkarinen T, Jämsä T, Määttä M, Hietala O, Jalovaara P (2006) Reindeer BMP extract in the healing of critical size bone defect in rabbit radius. *Acta Orthop* 77: 952-959
50. Vainionpää A, Korpelainen R, Vihriälä E, Rinta-Paavola A, Sievänen H, Leppäluoto J, Jämsä T (2007) Effect of impact exercise and its intensity on bone geometry in weight-bearing tibia and femur. *Bone* 40: 604-611
51. Muhonen V, Heikkinen R, Danilov A, Jämsä T, Tuukkanen J (2007) The effect of oxide thickness on osteoblast attachment and survival on NiTi alloy. *J Mater Sci Mater Med* 18: 959-967
52. Vainionpää A, Korpelainen R, Kaikkonen H, Knip M, Leppäluoto J, Jämsä T (2007) Effect of impact exercise on physical performance and cardiovascular risk factors. *Med Sci Sports Exerc* 39: 756-763
53. Danilov A, Tuukkanen T, Jämsä T (2007) Biocompatibility-related surface characteristics of oxidized NiTi. *J Biomed Mater Res A* 82: 810-819
54. Heikkinen R, Vihriälä E, Vainionpää A, Korpelainen R, Jämsä T (2007) Acceleration slope of exercise-induced impacts is a determinant of changes in bone density. *J Biomech* 40: 2967-2974
55. Pulkkinen P, Jämsä T, Lochmüller EM, Kuhn V, Nieminen M, Eckstein F (2008) Hip fracture load can be predicted from plain radiography by combined analysis of trabecular bone structure and bone geometry. *Osteoporos Int* 19: 547-558
56. Kangas M, Konttila A, Lindgren P, Winblad I, Jämsä T (2008) Comparison of low-complexity fall detection algorithms for body attached accelerometers. *Gait Posture* 28(2): 285-291
57. Isojärvi H, Kallio M, Korpelainen R, Kaikkonen K, Jämsä T, Keinänen-Kiukaanniemi S (2009) High insulin levels are positively associated with peripheral nervous system function. *Acta Neurol Scand* 119: 107-112
58. Kangas M, Vikman I, Wiklander J, Lindgren P, Nyberg L, Jämsä T (2009) Sensitivity and specificity of fall detection in people aged 40 years and over. *Gait Posture* 29: 571-574
59. Määttä M, Moilanen P, Nicholson P, Cheng S, Timonen J, Jämsä T (2009) Correlation of tibial low-frequency ultrasound velocity with femoral radiographic measurements and BMD in elderly women. *Ultrasound Med Biol* 35: 903-911
60. Vainionpää A, Korpelainen R, Väänänen K, Haapalahti J, Jämsä T, Leppäluoto J (2009) Effect of exercise on bone metabolism. *Osteopor Int* 20: 1725-33
61. Thevenot J, Pulkkinen P, Koivumäki J, Kuhn V, Eckstein F, Jämsä T (2009) Discrimination of cervical and trochanteric hip fractures using radiography-based two-dimensional finite element models. *Open Bone J* 1: 16-22

62. Ahola R, Korpelainen R, Vainionpää A, Leppäluoto J, Jämsä T (2009) Time course of exercise-induced bone changes in a 12-month intervention study. *BMC Musculoskeletal Disorders* 10:138, doi:10.1186/1471-2474-10-138
63. Rantalainen T, Nikander R, Heinonen A, Multanen J, Häkkinen A, Jämsä T, Kiviranta I, Linnamo V, Komi PV, Sievänen H (2010) Neuromuscular performance and body mass as indices of bone loading in pre- and postmenopausal women. *Bone* 46(4):964-969, doi: 10.1016/j.bone.2010.01.002
64. Finnilä M, Zioupos P, Herlin M, Miettinen HM, Simanainen U, Håkansson H, Tuukkanen J, Viluksela M, Jämsä T (2010) Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure on bone material properties. *J Biomech* 43(6): 1097-1103
65. Tölli H, Kujala S, Levonen K, Jämsä T, Jalovaara P (2010) Bioglass as a carrier for reindeer bone protein extract in the healing of rat femur defect. *J Mater Sci Mater Med* 21(5):1677-84
66. Herlin M, Kalantari F, Stern N, Sans D, Larsson S, Viluksela M, Tuomisto JT, Tuomisto J, Tuukkanen J, Jämsä T, Lind PM, Håkansson H (2010) Quantitative characterization of changes in bone geometry, mineral density and biomechanical properties in two rat strains with different Ah-receptor structure after long-term exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. *Toxicology* 273(1-3):1-11
67. Isojärvi H, Keinänen-Kiukaanniemi S, Kallio M, Kaikkonen K, Jämsä T, Korpelainen R (2010) Serum triglycerides, fitness and physical activity are associated to peripheral nervous system function in overweight adults. *Med Sci Sports Exerc* 42(7): 1241-1245. doi: 10.1249/MSS.0b013e3181cb8331
68. Koivumäki J, Thevenot J, Pulkkinen P, Salmi JA, Kuhn V, Lochmüller EM, Link TM, Eckstein F, Jämsä T (2010) Association of strain distribution with the occurrence of cervical vs. trochanteric hip fractures. *Med Biol Eng Comput* 48: 711-717
69. Jokinen H, Pulkkinen P, Korpelainen J, Heikkinen J, Keinänen-Kiukaanniemi S, Jämsä T, Korpelainen R (2010) Risk factors for cervical and trochanteric hip fractures in elderly women - a population-based 10-year follow-up study. *Calcif Tissue Int* 87(1):44-51
70. Tahvanainen PS, Lammentausta E, Pulkkinen P, Tervonen O, Jämsä T, Nieminen MT (2010) Dual-energy digital radiography for the assessment of bone mineral density. *Acta Radiol* 51(5):543-8
71. Karjalainen T, Göransson H, Viinikainen A, Jämsä T, Ryhänen J (2010) Nickel-titanium wire as a flexor tendon suture material. An ex vivo study. *J Hand Surg Eur* 35(6):469-74
72. Pulkkinen P, Partanen J, Jalovaara P, Jämsä T (2010) BMD T-score discriminates trochanteric fractures from unfractured controls, whereas geometry discriminates cervical fracture cases from unfractured controls of similar BMD. *Osteopor Int* 21(7):1269-76. doi: 10.1007/s00198-009-1070-3
73. Ahola R, Korpelainen R, Vainionpää A, Jämsä T (2010) Daily impact score in long-term acceleration measurements of high-impact exercise. *J Biomech* 43(10):1960-4. doi:10.1016/j.jbiomech.2010.03.021
74. Thevenot J, Pulkkinen P, Kuhn V, Eckstein F, Jämsä T (2010) Bilateral asymmetries in hip related to experimental fracture type. *Calcif Tissue Int* 87:203-210
75. Niu KJ, Heikkinen R, Guo H, Korpelainen R, Uchimaru J, Vainionpää A, Sato K, Sakai A, Salo S, Komatsu S, Jämsä T, Nagatomi R (2010) Effect of office-based high-impact

exercise on bone mineral density in healthy premenopausal women: The Sendai Bone Health Concept Study. *J Bone Miner Metab* 28(5): 568-77

76. Tölli H, Kujala S, Jämsä T, Jalovaara P (2010) Reindeer bone extract can heal the critical-size rat femur defect. *Int Orthop* (online)
77. Nieminen P, Finnilä MAJ, Tuukkanen J, Jämsä T, Mustonen AM (2011) Preservation of bone mass and biomechanical properties during winter sleep-the raccoon dog (*Nyctereutes procyonoides*) as a novel model species. *Bone* ( in press)

## 2. ARTICLES IN INTERNATIONAL CONFERENCE PROCEEDINGS

78. Jämsä T, Jalovaara P, Peng Z, Väänänen H (1996) Equipment for testing the biomechanical strength of bones. 10<sup>th</sup> Nordic Baltic Conference on Biomedical Engineering and Medical Physics, Tampere. *Med Biol Eng Comp* 34 (Suppl.1, Part 1): 347-348.
79. Jämsä T, Jalovaara P, Tuukkanen J (1998) Evaluation of the murine femoral neck strength by pQCT analysis. 11<sup>th</sup> Conference of The European Society of Biomechanics, Toulouse. *J Biomech* 31 (Suppl.1): 4.
80. Jämsä T, Koivukangas A, Kippo K, Hannuniemi R, Jalovaara P, Tuukkanen J (1999) Analysis of the callus size of fractured rat tibia from radiographs and by quantitative CT. Fifth Conference European Society of Engineering and Medicine, Barcelona. Proceedings, p. 39-40.
81. Ryhänen J, Lehenkari P, Kallioinen M, Niemelä E, Jämsä, T, Pramila A, Tuukkanen J (1999) Bone response to NiTi after periosteal implantation. First European Conference on Shape Memory and Superelastic Technologies, Antwerp. Proceedings, p. 232-236
82. Ryhänen J, Märsylä J, Niemelä E, Tuukkanen J, Jämsä T, Pramila A (1999) Acromioclavicular dislocation repair with NiTi AC-hook implant: clinical pilot study and FEM analysis of the implant. First European Conference on Shape Memory and Superelastic Technologies, Antwerp. Proceedings, p. 237-239
83. Jämsä T, Koivukangas A, Ryhänen J, Jalovaara P, Tuukkanen J (1999) Evaluating the femoral neck of mouse using pQCT and mechanical testing. European Medical & Biological Engineering Conference, Vienna. *Med Biol Eng Comp* 37 (Suppl.2): 284-295.
84. Jämsä K, Jämsä T (1999) Relieving parents' anxiety against technology in a neonatal intensive care unit. European Medical & Biological Engineering Conference, Vienna. *Med Biol Eng Comp* 37 (Suppl.2): 866-867.
85. Jämsä T, Laitakari K (1999) PC-based system for the assessment of bone-conduction hearing aids in situ. European Medical & Biological Engineering Conference, Vienna. *Med Biol Eng Comp* 37 (Suppl.2): 1388-1389.
86. Nieminen J, Sahlman J, Hirvonen T, Lapveteläinen T, Helminen HJ, Tuukkanen J, Jämsä T, Jurvelin JS, Kröger H, Alhava E, Li S, Prockop D, Puustjärvi K (2000) Collagen type II has a role on bone maturation and adaptation to mechanical loading. 46<sup>th</sup> Annual Meeting of the Orthopaedic Research Society, Orlando. *Trans Orthop Res Soc* 25: 769.
87. Jämsä T, Koivukangas A, Ryhänen J, Jalovaara P, Tuukkanen J (2000) The effect of unilateral limb immobilization on the tibia and femur of mouse. 24<sup>th</sup> Annual Meeting of the American Society of Biomechanics, Chicago. Conference Proceedings, p. 253-254.

88. Jämsä T, Koivukangas A, Kippo K, Hannuniemi R, Jalovaara P, Tuukkanen J (2000) Evaluating the density of fracture callus from radiographs and by quantitative CT. World Congress on Medical Physics and Biomedical Engineering and 22<sup>nd</sup> Annual International Conference of the IEEE Engineering in Medicine and Biology Society, Chicago. Digest of Papers, WE-B328-04.
89. Jämsä T, Viluksela M, Tuomisto JT, Tuomisto J, Tuukkanen J (2000) Peripheral quantitative computed tomography and three-point bending test in evaluating the effect of dioxins on rat long bones. Proceedings of the 12<sup>th</sup> Conference of the European Society of Biomechanics, Dublin. Proceedings, p. 339.
90. Laitakari K, Jämsä T (2001) Computerised *in-situ* test for bone conduction hearing aids. Proceedings of the 4<sup>th</sup> European Conference in Audiology, Oulu 1999. *Scand Audiol* 30 (Suppl.52): 79-80.
91. Partanen J, Jämsä T, Jalovaara P (2001) Upper femur and pelvic geometry and the risk and type of fractures. 47<sup>th</sup> Annual Meeting of the Orthopaedic Research Society, San Francisco. *Trans Orthop Res Soc* 26: 966.
92. Jämsä T, Koivukangas A, Tuukkanen J, Kippo K, Hannuniemi R, Pasanen I, Väänänen K, Jalovaara P (2001) The effect of half-year administration of clodronate on the fracture healing in rat. 47<sup>th</sup> Annual Meeting of the Orthopaedic Research Society, San Francisco. *Trans Orthop Res Soc* 26: 968.
93. Ryhänen J, Tuukkanen J, Sandvik P, Niemelä E, Jämsä T, Pramila A, Perämäki P (2001) Surface corrosion and trace-metal determination of NiTi in biological environment after long-term implantation. Proceedings of the International Conference on Shape Memory and Superelastic Technologies SMST 2000, Pacific Grove, California, p. 333-337.
94. Jalovaara P, Tuominen T, Jämsä T, Tuukkanen J, Lindholm S (2001) Composite implants of bovine xenograft, hydroxyapatite and biocoral with bone morphogenetic protein in the treatment of canine segmental ulnar defect. 4<sup>th</sup> Combined Meeting of the Orthopaedic Research Societies of the USA, Canada, Europe and Japan, Rhodes. Transactions.
95. Jämsä T, Sipola A, Tuukkanen J (2002) Reproducibility of pQCT in measurement of biopsy specimens. 48<sup>th</sup> Annual Meeting of the Orthopaedic Research Society, Dallas. *Trans Orthop Res Soc* 27: P 0567.
96. Jämsä T, Pietikäinen MH, Weckström M (2002) New undergraduate program in medical and wellness technology. 2<sup>nd</sup> European Medical and Biological Engineering Conference, Vienna. *Proc IFMBE* 3: 1646-1647
97. Pietikäinen MH, Tuukkanen J, Herrala E, Jämsä T (2002) Imaging spectroscopy in fluorescence measurements. 2<sup>nd</sup> European Medical and Biological Engineering Conference, Vienna. *Proc IFMBE* 3: 958-959
98. Jämsä T, Parviainen O, Salmela I, Pulkkinen P (2004) Assessment of lower limb cross-sectional geometry using CT image analysis. 7<sup>th</sup> Conference of the European Society for Engineering and Medicine ESEM 2003, Halle, Germany. *Technol Health Care* 12: 111-113
99. Vihriälä E, Oksa J, Karkulehto J, Korpelainen R, Myllylä R, Jämsä T (2004) Reliability of an accelerometer for assessment of body movements. 7<sup>th</sup> Conference of the European Society for Engineering and Medicine ESEM 2003, Halle, Germany. *Technol Health Care* 12: 122-124

100. Danilov A, Muhonen V, Tuukkanen J, Jämsä T (2004) Significance of surface stresses for cell adhesion to NiTi. *Eur Cells Mater* 7 (Suppl. 1): 5
101. Muhonen V, Sassi M-L, Danilov A, Nagel M-D, Jämsä T, Tuukkanen J (2004) The role of extracellular matrix in biocompatibility of NiTi shape-memory metal implant material. *Eur Cells Mater* 7 (Suppl. 1): 70
102. Jämsä T, Vainionpää A, Vihriälä E, Korpelainen R, Rinta-Paavola A, Leppäluoto J (2005) Accelerometer-based long-term monitoring of physical exercise. The 3rd European Medical and Biological Engineering Conference, Prague. *Proc IFMBE* 11 (5 p.)
103. Pulkkinen P, Luomala M, Obregon V, Jämsä T (2005) Gradient-based method for the assessment of trabecular structure from radiographs. The 12<sup>th</sup> International Conference on Biomedical Engineering, Singapore. *Proc IFMBE* 12 (4 p.)
104. Heikkinen R, Danilov A, Tuukkanen J, Jämsä T (2005) Feasibility of contact angle measurements in the surface characterization of NiTi. The 12<sup>th</sup> International Conference on Biomedical Engineering, Singapore. *Proc IFMBE* 12 (4 p.)
105. Pulkkinen P, Jämsä T (2006) New radiographic method for evaluating trabecular bone mass of the hip. 52nd Annual Meeting of the Orthopaedic Research Society, Chicago. *Trans Orthop Res Soc* 31: 763.
106. Kangas M, Konttila A, Winblad I, Jämsä T (2007) Determination of simple thresholds for accelerometry-based parameters for fall detection. *Proc 29<sup>th</sup> Ann Conf IEEE EMBS* 1367-1370
107. Kangas M, Wiklander J, Vikman I, Nyberg L, Lindgren P, Jämsä T (2007) SensorBand fall detector prototype: Validation through data collection and analysis. *Proc 2<sup>nd</sup> ISMICT* (4 p.)
108. Hintsala H, Bliznakova K, Pallikarakis N, Jämsä T (2009) Modelling of irregular breast lesions. World Conference on Medical Physics and Biomedical Engineering, Munich. *Proc IFMBE* 25/IV: 2024–2027
109. Jämsä T, Muhonen V, Danilov A, Tuukkanen J (2010) Biocompatibility aspects of NiTi-based medical implants FGM2008. *Mater Sci Forum* 631-632: 175-179
110. Pulkkinen P, Eckstein F, Lochmüller EM, Kuhn V, Jämsä T (2010) Association of Low and High BMD Levels with the Experimental Failure Load in Cervical Hip Fractures. *Trans Orthop Res Soc* 35: 652
111. Hämmäläinen M, Linatti J, Jämsä T (2010) Medical ICT serving society. International Symposium on Spread Spectrum Techniques and Applications (ISSSTA), Taiwan. *IEEE Proc ISSSTA*: 103-107.

#### 4. ARTICLES IN NATIONAL CONFERENCE PROCEEDINGS

112. Suominen K, Leinonen K, Jämsä T, Kiviniitty K (1986) The Barker coil system for low field NMR imaging. *Acta Univ Oul* A179: 203-205.
113. Simanainen U, Tuomisto J, Jämsä T, Tuukkanen J, Viluksela M (2000) Determinants of sensitivity to dioxin induced health effects. Mid-term Symposium of the Finnish Research Programme on Environmental Health, Helsinki.

114. Vuotikka A-J, Sjölin S-G, Jämsä T (2006) Muistimetalli-implanttien mallintaminen lääketieteellisissä sovellutuksissa. Proceedings of the IX Finnish Mechanics Days. Lappeenrannan Teknillinen yliopisto, Raportti 17: 663-672.

## 5. MONOGRAPHS

115. Jämsä T (1981) Pienten kohteiden NMR-kuvauslaitteisto (NMR imaging system for small objects, in Finnish). University of Oulu, Department of Electrical Engineering, 57 p. Diploma (M.Sc.) thesis.

116. Jämsä T (1995) Development of equipment for biomechanical testing of bone. University of Oulu, Department of Electrical Engineering and Department of Anatomy, 48 p. Licentiate thesis.

117. Jämsä T (1998) Methods for evaluating bone strength in experimental studies. *Acta Univ Oul D475*, 72 + 32 p. Ph.D. thesis.

## 6. PATENT PUBLICATIONS

118. Jämsén A, Rinta-Paavola A, Jämsä T, Issakainen J. Askelpituuden kalibrointimenetelmä sekä menetelmää hyödyntävä laitejärjestely. FI 117887. Patent granted 13.4.2007.

119. Jämsén A, Rinta-Paavola A, Korpelainen R, Jämsä T, Leppäluoto J. Anturiyksikkö, laitejärjestely ja laitejärjestelyä hyödyntävä menetelmä luomassan kehitysarvion muodostamiseksi ja esittämiseksi. FI 118951. Patent granted 30.5.2008.

120. Jämsén A, Rinta-Paavola A, Jämsä T, Issakainen J. Method for calibration of step length and arrangement utilizing the method. WO 2005077273 A1. Similar publications: EP1713388 A1, US2007173378 A1, JP2007523328 T.

121. Jämsén A, Rinta-Paavola A, Korpelainen R, Jämsä T, Leppäluoto J. Transducer unit, device arrangement and a method utilizing the device arrangement for creating and presenting an estimate of bone mass and development. WO 2005117703 A1. Similar publications: EP1768559 A4, US2008312560 A1, JP2008501389 T.

122. Jämsä T, Leppäluoto J, Jämsén A, Rinta-Paavola A, Vihriälä E. Method and device arrangement for measuring physical exercise promoting cholesterol metabolism. WO 2008071840. Similar publication: US2010137107 A1.

123. Ahola R, Korpelainen R, Jämsä T. Anturiyksikkö, laitejärjestely ja laitejärjestelyä hyödyntävä menetelmä osteogeenisen indeksin tai päivittäisen kuormitusstimuluksen määrittämiseen kiihtyvyyssanturin avulla. FI 20090320 (submitted)